

BIJSLUITER**Lacrisan®**
kunsttraan**SAMENSTELLING**

Lacrisan bevat een cellulosederivaat en polyvidone. Beide stoffen zorgen voor een verhoging van de viscositeit van de traanfilm.

TOEPASSING

Lacrisan wordt toegepast bij honden en katten bij alle omstandigheden waarbij er te weinig traanvocht geproduceerd wordt of wanneer er kans is op uitdrogen van de oogbol, bijvoorbeeld bij algehele anaesthesie. Tevens kunnen de druppels worden gebruikt bij oogonderzoek (gonioscopie), voor het reinigen van de ogen en ter voorkoming en voor het verwijderen van traanstrepen.

WIJZE VAN GEBRUIK EN TOEDIENINGSWEG

De druppels worden lokaal op het oog gedruppeld met behulp van de druppelflacon. Belangrijk is dat de punt van de druppelaar niet in contact komt met het oog of de oogharen

Voor het vochtig houden van de ogen, wanneer de eigen traanproductie ontoereikend is: 1 of meerdere druppels op het oog aanbrengen, tot ieder uur 1 druppel.

Bevochtiging van de ogen bij het niet sluiten van de oogleden tijdens narcose: enkele druppels op het oog aanbrengen.

Het reinigen van de ogen en het verwijderen van slaapjes: 1 of meerdere druppels in het oog aanbrengen.

Het voorkomen van traanstrepen: 2 tot 3 maal daags 1 of 2 druppels in het oog aanbrengen.

Voor het verwijderen van traanstrepen: druppel Lacrisan op een watje en reinig hiermee de omgeving van het oog.

BEWARING

Na openen 30 dagen houdbaar.

In het donker bewaren bij kamertemperatuur (15°C - 25°C).

Buiten het zicht en bereik van kinderen bewaren

VERPAKKING

Druppelflacon met 10 ml

FABRIKANT

Produlab Pharma B.V.

Forellenweg 16

4941 SJ Raamsdonksveer

Nederland

DISTRIBUTEUR

Alfasan Diergeneesmiddelen B.V.

Kuipersweg 9

3449 JA Woerden

Nederland

PACKAGE LEAFLET

Lacrisan®

artificial tears

COMPOSITION

Lacrisan contains a cellulose derivative and polyvidone. Both substances increase the viscosity of the tear film.

APPLICATION

Lacrisan is used in dogs and cats for all instances in which too little tear fluid is produced or when there is a risk of dry eyes, for example with general anesthesia. The drops can also be used for eye examinations (gonioscopy), to clean the eyes and to prevent and remove tear stains.

METHOD OF USE AND ROUTE OF ADMINISTRATION

The drops are applied locally to the eye using the dropper bottle. It is important that the tip of the dropper does not come into contact with the eye or the hairs around the eye.

To keep the eyes moist, when tear production is insufficient: apply 1 or more drops to the eye up to 1 drop every hour.

Moistening the eyes when the eyes are not closed during general anesthesia: apply a few drops to the eye.

Cleaning the eyes: apply 1 or more drops to the eye.

Preventing tear stains: apply 1 or 2 drops to the eye 2 to 3 times a day.

To remove tear stains: drop Lacrisan on a cotton ball and clean the area around the eye.

STORAGE CONDITIONS

Use within 30 days after opening.

Store in a dark place at room temperature (15°C - 25°C).

Keep out of the sight and reach of children.

PACKAGE

Dropper bottle with 10 ml

MANUFACTURER

Produlab Pharma B.V.

Forellenweg 16

4941 SJ Raamsdonksveer

The Netherlands

DISTRIBUTOR

Alfasan Diergeneesmiddelen B.V.

Kuipersweg 9

3449 JA Woerden

The Netherlands